



## Fiery® MIC-4170

### FS500 Pro

# More high-value jobs, faster

Produce high-value, complex applications with superior image quality to maximize your profitability with Fiery® MIC-4170 v2 driving the Konica Minolta AccurioPress 6120/6136/6136P/6272P/7120/7136/7136p Digital Press.

### Boost performance with clever, simple solutions

- Boost productivity with the power of the new, advanced Fiery FS500 Pro platform through the tightly integrated Fiery workflow in Fiery Command WorkStation®.
- Meet critical customer turnaround times and increase production capacity with the MIC-4170, which processes jobs 41% faster than the MIC-4160.
- Automate job preparation steps in prepress workflows to produce ready-to-print files with Fiery JobFlow™ Base. This easy-to-use automation software increases productivity and reduces costs.
- The Fiery server is compatible with the Konica Minolta IQ-501 Intelligent Quality Optimizer for automated density control and accurate front-to-back registration, reducing operator set up time.

- Identify potential errors like low-resolution images, overprints, hairlines, missing fonts, and more with the integrated capabilities of Fiery Preflight.
- Achieve consistent, predictable results with industry standard Native Adobe PDF Print Engine 5.5 processing and PDF 2.0 ready DFE.

### Get optimal image quality

- Use the power of Fiery JobExpert™ to analyze print jobs and dynamically choose the optimal print setting.
- Perform grayscale calibration to preserve and enhance shadow detail as well as maintain a precise match for upper and lower tonal ranges.
- Inspect jobs with Fiery ImageViewer for Black and White. Make black curve adjustments to optimize image quality and save them for future use.



# MIC-4170 v2 specifications

## Fiery Driven engines

- Konica Minolta AccurioPress 6120/6136/6136P/6272P/7120/7136/7136P
- Supports all engine finishing devices
- Compatible with Konica Minolta IQ-501

## Hardware and platform

- Intel® Core™ i5-8500 processor
- 8 GB RAM
- 1 TB HDD
- SSD boot drive for OS and Fiery software
- Fiery Installer Builder
- USB 3.0
  - 3 front, 2 rear ports
- USB 2.0
  - 2 rear ports
- Microsoft® Windows® 10 IoT Enterprise 2019 LTSC
- Fiery FS500 Pro
- Fiery QuickTouch software

## File format support

- Adobe® PostScript® Levels 1, 2, 3
- Adobe PDF
- PDF/X-1a, 3, and 4
- Encapsulated PostScript (EPS)
- Microsoft® Office document formats: docx, xlsx, pptx, pub (via Hot Folders)

## Fiery imaging technology

- Fiery grayscale calibration
- Image smoothing
- Black custom screening
- Fiery ImageViewer for Black and White

## Productivity and workflow

- Fiery Command WorkStation
- Fiery JobExpert

- Fiery drivers for Windows and Mac® users
- Fiery WebTools™
- Booklet Maker
- Pad printing
- Fiery Hot Folders/Virtual Printers
- Fiery JobFlow™ Base
- Fiery Preflight
- Direct mobile printing
- Fiery Go (Android™ and iOS)
- Print Time Estimation
- GUI enabled (FACI)
- Fiery Finishing Designer

## Performance

- SmartRIP
- Spool-RIP-print simultaneously
- Scan-RIP-print simultaneously

## Variable data printing

- Fiery FreeForm™ Create
- Supported file formats include:
  - Fiery FreeForm, Fiery Freeform Plus, PPML v3.0, PDF/VT 1 and 2, Creo VPS compatible
- Record and set level finishing
- VDP record range printing
- Optimized PostScript and PDF
- Define record length
- VDP Raster Preview
- VDP Resource Manager

## JDF/JMF support

- Fiery JDF v1.8 Integrated Digital Printing (IDP) ICS certified
- EFI MIS and Web-to-Print integration ready
- Prepress workflow integration (Agfa® :Apogee, Kodak® Prinergy, Heidelberg® Prinect)

## Adobe interpreter support

- CPSI version 3020
- Adobe PDF Print Engine 5.5 \*\*

## Optional Fiery software and hardware

- Fiery Impose\*
- Fiery Compose
- Fiery Impose-Compose
- Fiery JobMaster™ \*
- Fiery JobMaster-Impose \*
- Fiery JobFlow™ \*
- EFI Manage
- EFI ES-3000 spectrophotometer
- Adobe® Acrobat® Pro Kit
- Fiery Disk Drive Security Kit
- Fiery NX Station GL / LS

## Security

- Secure erase, Security Profiles, Security Audit Logs
- FIPS 140-2 compliant user data encryption
- Port blocking, IP filtering, 802.1x authentication, IPsec encryption, HTTPs with TLS 1.3 support
- Enhanced certificate management
- Secure printing, PostScript security, USB security
- Windows 10 OS security features
- Digitally signed software updates

## Networking/Connectivity

- TCP/IP, AppleTalk, Bonjour support, SNMP, Port 9100, IPP, FTP, SMB, WSD, point and print, print via email (PS/PDF), IPv6 support

## EMC

- FCC and ICES (US & Canada).
- EN & BS 55032: EU/UK.
- EN55032: 2013-Aus/NZS
- EN & BS 55035 – Immunity STD

## Safety

- TUV\_CB Scheme IEC EN IEC 62368-1
- CE Mark (EU)
- UKCA Mark (UK)
- TUV UL/CAN/CSA (USA and Canada)
- TUV T- Mark (EU)

## Power supply and consumption

- Auto-switching: 100–240 VAC
- 50/60 Hz, 6 Amps @100 VAC, 3 Amps @240 VAC
- Maximum / typical power usage: 350 W / 125 W

## Dimensions

- 20.75" (527.05 mm) H x 9.25" (234.95 mm) W x 18.25" (463.55 mm) D
- Weight: 36.5 lbs (16.5 kg)

\* Free 30-day trial available

\*\* Updated with enhancements and service releases on an ongoing basis

For more information, please visit [solutions.fiery.com/km/mic4160-mic4170](https://solutions.fiery.com/km/mic4160-mic4170)



Nothing herein should be construed as a warranty in addition to the express warranty statement provided with EFI products and services.

ColorGuard, ColorRight, Command WorkStation, ColorWise, EFI, the EFI logo, Electronics For Imaging, EFI Fiery, Fiery, the Fiery logo, Fiery Compose, Fiery Driven, the Fiery Driven logo, Fiery Edge, Fiery Essential, Fiery HyperRIP, Fiery Impose, Fiery Impress, Fiery ImageViewer, Fiery Intensify, Fiery JobExpert, Fiery JobFlow, Fiery JobMaster, Fiery Prep-It, Fiery Prints, the Fiery Prints logo, Fiery TrueBrand, FreeForm, MicroPress, IQ, PrintMe, RIPChips, RIP-While-Print, Spot-On, Spot Pro, and WebTools are trademarks or registered trademarks of Electronics For Imaging, Inc. and/or its wholly owned subsidiaries in the U.S. and/or certain other countries. All other terms and product names may be trademarks or registered trademarks of their respective owners and are hereby acknowledged.